

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: US 7312173 B1
Issued: December 25, 2007
Inventor(s): Leon Yuan et al.
Title of Invention: Regeneration Method with Efficient Oxygen Utilization

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 C.F.R. § 1.322(a))**

Commissioner for Patents
Attn: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

Attached, in duplicate, is Form PTO-1050 with at least one copy being suitable for printing. Support for this Certificate of Correction may be found on page 21 of Application filed on December 31, 2003.

Respectfully submitted,



Maryann Maas
Attorney for Patentees
Reg. No. 38,954
(847) 391-2137 (phone)
(847) 391-2387 (fax)

MM/mrs

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO: US 7312173 B1

Page 1 of 1

DATED: December 31, 2003

INVENTOR(S): Leon Yuann et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, Claim 10.

Line 26, replace "1°C" with —10°C—.

MAILING ADDRESS OF SENDER:

PATENT NO. US 7312173 B1

J. KEN JOUNG
UOP LLC
25 EAST ALGONQUIN ROAD
P.O. BOX 5017
DES PLAINES, IL 60017-5017

No. of additional copies 1